1. Identification

Product Identity: Roll-On Traction Coating
Recommended Use: Water-borne wood floor Coating

Producer / Distributor

Roll-on Floor Systems, LLC 233 West Pipeline Road Hurst, Texas 76053

Telephone Number for Information: 817-571-2438 Emergency Telephone Number: 800-255-3924



Environment Class

2. Hazard Identification

Classification:

Health Class

Eye Irritant Category 2

Label

Symbols



Signal Word Warning

Hazard Statements:

Causes eye irritation.

Precautionary Statements:

Wash hands thoroughly after handling.

Wear eye protection.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical attention.

Physical Class

Percent by **Composition/Information on Ingredients** Weight Ingredient **CAS Number** Aliphatic Polyester Polyurethane Emulsion Proprietary 20 - 30 Proprietary 1 - 10 Polyurethane resin Dipropylene Glycol Monobutyl Ether 29911-28-2 1 - 5 50 - 100 Water 7732-18-5

4. First-Aid Measures:

Ingestion: If Swallowed: Do not induce vomiting. Drink water in large amounts and call a physician immediately. Never give anything by

mouth to an unconscious person.

Eye Contact: Flush eyes with running water for at least 15 minutes. If irritation persists, obtain medical attention.

Skin Contact: Flush thoroughly with cool water. Remove and wash contaminated clothing before reuse.

Inhalation: Move to fresh air.

5. Fire Fighting Measures:

Suitable Extinguishing Media: Not Applicable

Special Fire Fighting Procedures: Not Applicable

Unusual Fire and Explosion Hazards Not Applicable

6. Accidental Release Measures:

Dike and contain spill with inert material (sand, earth, etc.). Collect spill with a mop, absorbent material (example: floor-dry) or vacuum. Thoroughly rinse affected area with water.

7. Handling and Storage:

Handling: Keep from freezing. Keep out of reach of children.

Storage: Maintain Temperature Minimum 40°F (4°C) - Maximum 100°F (38°C)

8. Exposure Controls / Personal Protection:

Exposure Limits

 Ingredients
 CAS Number
 Osha PEL
 ACGIH TLV

 None Listed
 XXXX
 XXX
 XXX

Exposure Controls

Engineering Controls: Normal good ventilation is sufficient

Personal Protective Equipment:

Eye Protection: Approved Safety Goggles or Glasses

Skin Protection: Chemical Resistant Rubber (Neoprene)Gloves

Respiratory Protection: Not required, An organic vapor mask with dust/mist filter is recommended when spraying product

9. Physical and Chemical Properties:

Physical State: Liquid pH: 8-9

Appearance: Milky White Specific Gravity (H2O = 1): 1.03

Odor: Mild Flammability: None
Solubility: Complete Flash Point: None

Evaporation Rate: NA Boiling Point: > 212° F (100°C)

Vapor Pressure (MM HG): NA %volatile: 70%

Vapor Density (Air = 1): NA

10. Stability and Reactivity:

Chemical Stability: Stable
Possibility of Hazardous Reactions: None are known

Incompatability (Materials to Avoid): None are known Hazardous Decomposition or By-products: None

Hazardous Polymerization: Will not Occur

Conditions to Avoid: None are known

11. Toxicological Information:

Signs and Symptoms of Overexposure: Causes irritation on contact

Acute Effects:

Eye Contact: Causes irritation on contact

Skin Contact: May cause irritation on prolonged contact

Inhalation: None Known

Ingestion: May be harmful if swallowed

Target Organ Effects: None Known
Chronic Effects: None Known

Acute Toxicity Values:

 $\begin{array}{ccc} \text{Oral LD}_{50} & > 5000 \text{ mg/kg} \\ \text{Dermal LD}_{50} & > 5000 \text{ mg/kg} \\ \end{array}$

Inhalation (Vapor) LC $_{50}$ > 50 mg/l

12. Ecological Information:

Persistence and Degradability: Not Available
Bio Accumulative Potential: Not Available

Mobility in Soil: Not Available

Aquatic Toxicity: Not Available

13. Disposal Considerations:

Material that cannot be used during normal use should be disposed of in accordance with all applicable local, state and federal regulations.

14. Transportation Information:

UN Number: None

Shipping Name: Paint, Lacquer, or Varnish

Transport Hazard Class: None

Packing Group: None Marine Pollutant: NO

15. Regulatory Information:

TSCA Status: All ingredients listed

Clean Water Act: None of the chemicals in this product are listed under the CWA Clean Air Act: None of the chemicals in this product are listed under the CAA

CERCLA Reportable Quantity: None

SARA Title III Information:

Section 302 Extremely Hazardous Chemicals: None Listed Section 311 / 312 Hazard Category: Immediate Health

Section 313 Toxic Chemicals: None Listed

State Regulations: None

International Regulations: WHMIS Controlled Product Hazard Class: D2B

16. Other Information:

Prepared By: Jeremy Waldner
Telephone Number: 651-481-1900
Revision Date: 3/27/2019
Supersedes: 10/24/2013

This SDS applies to the following Part

Numbers

The information contained herein is based on data considered accurate; however no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The company assumes no responsibility for personal injury or property damage to vendees, users, or third parties caused by the material. Such vendees or users assume all risks associated with the use of the material.



Health	1
Flammability	0
Physical hazards	0